

**Iowa's Application to the
Edward Byrne Memorial Justice
Assistance Grant (JAG) Program**

FFY 2016

CFDA 16.738

**Steven F. Lukan
Director**

**Terry E. Branstad
Governor**

**Kim Reynolds
Lt. Governor**

Acknowledgments

GOVERNOR'S OFFICE OF DRUG CONTROL POLICY STAFF

Steve Lukan – Director
Dale Woolery – Associate Director
Dennis Wiggins - Assistant Director of Programs
Susie Sher – Program Analyst

Governor's Office of Drug Control Policy
215 E. 7th Street
Pape State office Building
Des Moines, Iowa 50319
Phone 515-725-0300
www.iowa.gov/odcp

Table of Contents

Acknowledgments.....	2
Implementation/Time Task Plan.....	4
Data and Analysis of Need	5
Targeted Strategies: Results, Indicators, and Priorities	27
Strategy Development Process	41
Coordination of Efforts.....	44
Funding Information.....	44
Performance Measures	47


Implementation/Time Task Plan

	16		17			18				19			
	June - Nov	Feb-March	April-June	July-Sept	Oct-Dec	Jan-March	April-June	July-Sept	Oct-Dec	Jan-March	April-June	July-Sept	Oct-Dec
Application and receipt of federal Byrne-JAG funding	X	X	X	X									
Sub-grantees invited to make application for competitive grant process		X				X				X			
Competitive grant applications reviewed and funding decisions made			X				X				X		
Successful applicants notified. Sub grant contracts executed			X				X				X		
Beginning of sub grantee contract period. <i>Sub-grant contracts cover state fiscal year (July-June)</i>			X				X				X		
Grant funded program activities				X	X	X	X	X	X	X	X		
Quarterly financial reporting			X	X	X	X	X	X	X	X	X	X	X
Quarterly program reporting and assessment of program activities				X	X	X	X	X	X	X	X	X	
Sub-grantee final reporting and closeout								X				X	
Final reporting and grant closeout – federal grant													X

Data and Analysis of Need


Alcohol

Historically, alcohol is the most prevalent substance of use and abuse by adults in Iowa. Research from the [Behavioral Risk Factor Surveillance System](#) compiled by the federal [Centers for Disease Control and Prevention](#) indicates that almost six of every ten adult Iowans are classified as current drinkers of alcoholic beverages. Further, one in five adult Iowans is classified as a binge drinker. In order to better understand some of the social implications resulting from the widespread use and abuse of alcohol, data indicators are presented below.



Source: SFY, [Iowa Department of Commerce, Alcoholic Beverages Division](#)

This figure displays data compiled by the Iowa Department of Commerce, [Alcoholic Beverages Division](#), reporting the sale of millions of gallons of distilled spirits to retailers within the State of Iowa. Alcohol sales to retailers have steadily increased 58% over the past twelve years reaching its current high of 5.14 million gallons in FY 2015. This translates to an average availability of 2.36 gallons of distilled spirits, plus 2.15 gallons of wine and 34.16 gallons of beer, per Iowan over the age of 21, in the past year.




Source: CY, [Division of Criminal and Juvenile Justice Planning](#)

**Charges and convictions included in this table do not include cases in which a deferred judgment resulted in the removal of the record prior to the analysis of the data. As a result, the data may underreport the number of charges and convictions.*

Clerk of Court data compiled by the [Division of Criminal and Juvenile Justice Planning \(CJJP\)](#) indicates that both the number of OWI charges disposed and the number of OWI convictions reported by the courts have remained quite high for the reporting period. OWI arbitrations represent a significant proportion of the criminal caseload in Iowa courts.

Appendix Two: Drug Use Profile



Source: CY, [Iowa Department of Transportation & Department of Public Safety, Governor’s Traffic Safety Bureau](#)

Alcohol related motor vehicle fatalities reported by the Iowa Department of Transportation and the [Governor’s Traffic Safety Bureau \(GTSB\)](#) have varied in recent years. In 2014, 88 people died in alcohol-related motor vehicle crashes.

Iowa Department of Public Health data show that alcohol remains by far the number one substance of abuse in Iowa. The number of screenings/admissions to substance abuse treatment programs with alcohol as the primary substance of abuse remains at nearly 50%. In FY 2015, 22,669 adults and 1,015 juveniles were screened and/or admitted to treatment with a primary substance of abuse of alcohol.

Primary Substance of Abuse for Clients Screened/Admitted to Treatment

Primary Substance	Juvenile Clients	Adult Clients	% of Total
Alcohol	1,015 (21.7%)	22,669 (53.1%)	49.2%
Marijuana	3,193 (68.2%)	9,288 (21.3%)	25.8%
Methamphetamine	152 (3.2%)	7,573 (17.4%)	16.0%
Cocaine/Crack	15 (0.3%)	757 (1.7%)	1.6%
Inhalants	9 (0.2%)	25 (0.1%)	Less than 0.1%
Other Opiates/Synthetics	48 (1.0%)	2,123 (4.9%)	4.3%
Other/Unknown	294 (5.1%)	1,554 (2.7%)	1.0%
Heroin	14 (0.3%)	962 (2.2%)	2.0%
Total	4,740	44,951	100%

Source: SFY 2015, [Iowa Department of Public Health, Division of Behavioral Health](#)

According to the I-SMART substance abuse data system, the number of clients screened/admitted for substance abuse treatment remains high. IDPH reported 48,098 clients screened/admitted in FY 2015. The percent of clients with a primary substance of alcohol remained almost steady at 49.2%. The percent of all patients reporting marijuana use held generally steady at 25.8%. Reported use of methamphetamine rose to the highest level on record at 16.0%. Crack/cocaine screenings/admissions remained steady at 1.6%, and heroin was specifically reported by 2.0% of Iowans who were screened or admitted to treatment. The “other or unknown” category of admissions, which includes inhalants, synthetics, prescription drugs, other opiates, and unknown drugs, dropped to 5.3%.

Appendix Two: Drug Use Profile

Primary Substance of Abuse for Adult and Juvenile Clients Screened/Admitted to Substance Abuse Treatment


Year	Alcohol	Marijuana	Meth	Cocaine/ Crack	Heroin	Other	Total Clients*
2004	55.6%	22.7%	14.6%	4.7%	0.6%	1.8%	42,449
2005	55.8%	22.4%	14.4%	5.0%	0.6%	1.9%	43,692
2006	55.9%	22.8%	13.6%	5.1%	0.5%	2.2%	44,863
2007	58.3%	22.5%	10.7%	5.2%	0.4%	2.9%	47,252
2008	61.9%	22.7%	7.5%	4.5%	0.4%	2.9%	44,528
2009	61.4%	23.2%	7.8%	3.7%	0.5%	3.4%	44,849
2010	58.6%	25.0%	8.8%	2.9%	0.7%	4.0%	44,904
2011	55.2%	25.7%	9.6%	1.9%	0.9%	6.7%	47,974
2012	49.9%	26.3%	10.5%	2.3%	0.9%	10.1%	50,870
2013	51.2%	26.7%	13.1%	1.9%	1.2%	5.9%	51,045
2014	50.0%	25.6%	14.8%	1.7%	1.6%	6.3%	48,621
2015	49.2%	25.8%	16.0%	1.6%	2.0%	5.3%	48,098

*In some instances, screens/admissions may be double counted if a client is screened and later admitted for different substances.

Source: SFY, [Iowa Department of Public Health, Division of Behavioral Health](#)


While there have been decreases in self-reported youth alcohol use since the 1999 Iowa Youth Survey (IYS), the data indicate that in 2014 nearly one quarter (23%) of 11th graders surveyed responded that they had consumed an alcoholic beverage in the past 30 days. The good news overall however, is that both current and past alcohol use by students in all three of the grades continues to decline.

Percent of Students Self-Reporting the Current Use of Alcohol



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Percent of Students Self-Reporting Current Binge Drinking




Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Current (past 30 days) binge drinking (consuming five or more drinks at one time) by youth in grades 6, 8, and 11 as reported in the Iowa Youth Survey has decreased since

Appendix Two: Drug Use Profile

1999. However, the IDPH, Division of Behavioral Health, SARS/I-SMART substance abuse reporting system data show that youth screens/admissions to substance abuse treatment programs with alcohol as the primary substance of abuse is at 21.7% of the total. Based on these data, it would appear that while positive strides are being made, alcohol remains a substantial problem for the youth of Iowa.

Percentage of Youth Screens/Admissions to Substance Abuse Treatment Programs with a reported Primary Substance of Abuse of Alcohol




Source: SFY, [Iowa Department of Public Health, Division of Behavioral Health](#)

Illegal Drugs– General Indicators of the Trends in Drug Abuse

It should be noted that data in this section does not include alcohol. As the most abused substance in Iowa, including alcohol would significantly change these figures. According to the most recent National Survey on Drug Use and Health, Iowa has the fourth lowest rate of illicit drug use in the past month.


Illicit Drug Use in the Past Month – Lowest to Highest in the U.S.



Source: [2012-2013 National Survey on Drug Use and Health](#)

One indicator of illegal drug use in Iowa is the number of adults seeking substance abuse treatment for a primary substance of abuse other than alcohol.

Substance Abuse Treatment Program Screenings/Admissions for Adults with a Primary Substance Other Than Alcohol




Source: SFY, [Iowa Department of Public Health, Division of Behavioral Health](#)

Drug-related prison admissions collected by the Division of Criminal and Juvenile Justice Planning are another indicator of drug abuse levels. In 2005, a drop in meth lab incidents helped reduce drug related prison admissions. Due, in part, to the increased availability of meth


Appendix Two: Drug Use Profile

trafficked into the state, drug-related prison admissions rose from 2009 to 2012, but then declined again to their lowest level in five years. This figure shows the offenders admitted to prison with a drug offense as their lead charge.




Source: FY, [Criminal and Juvenile Justice Planning](#)

In Iowa, a person commits the offense of operating while intoxicated (OWI) if that person operates a motor vehicle while under the influence of alcohol, drugs or a combination of both. The per se law makes the driver culpable even without any outward signs of intoxication. This is important to note when dealing with prescription drug abuse.



Source: CY, [Iowa Department of Transportation & Department of Public Safety, Governor's Traffic Safety Bureau](#)


Iowa Drug Recognition Experts (DREs) performed 1,072 evaluations for impaired driving in 2014.



Source: CY, [Department of Public Safety, Governor's Traffic Safety Bureau](#)


Hospital emergency department visits related to alcohol and drug use rose significantly in 2014. The numbers represent substance abuse as both a primary reason for the visit, as well as a contributing factor to many visits.

Appendix Two: Drug Use Profile




Source: CY, [Iowa Department of Public Health](#)

In 2015, the Department of Corrections provided substance abuse treatment to only 24.3% of the addicted custodial inmates and 21.2% of the drug addicted offenders in community corrections.




Source: FY, [Iowa Department of Corrections](#)



Source: FY, [Iowa Department of Corrections](#)

A significant portion of the drug abusing population in Iowa is in the child-rearing age group. Studies have shown that children raised in drug-involved families are at a heightened risk for a variety of types of abuse and neglect. The Iowa Department of Human Services (DHS) reports on two measures of abuse that specifically relate to parent/caregiver involvement with drugs. The first of the indicators is the number of confirmed or founded child abuse cases resulting from the presence of illegal drugs in a child's body and the second is cases resulting from a parent/caregiver manufacturing a dangerous drug in the presence of a child.

Appendix Two: Drug Use Profile




Source: CY, [Department of Human Services](#)

*Beginning in 2006, DHS reported Confirmed and Founded Abuse together. Previous years in this chart show only Confirmed cases.

*Beginning in 2008 DHS began drug testing fewer children. DHS does not drug test all children if other evidence substantiates a confirmed or founded report.

*January 1, 2014, DHS implemented Differential Response.

The number of confirmed or founded child abuse cases involving the presence of illegal drugs in a child’s body reached its peak in 2004. The number of confirmed or founded child abuse cases involving a caretaker’s manufacturing of illegal drugs, specifically methamphetamine, decreased from 2003 to 2007. This number, like other meth statistics, was driven down by the reduction in methamphetamine labs across the state. However, as seemingly larger amounts of meth have been trafficked into Iowa, the number of children recently affected by the drug is holding steady at a higher level.



Source: CY, [Department of Human Services](#)

*Beginning in 2006, DHS reported Confirmed and Founded Abuse together. Previous years this chart show only confirmed cases.

*January 1, 2014, DHS implemented Differential Response.

Elsewhere in the Drug Use Profile regarding the youth population of Iowa, there is discussion about drugs other than alcohol and tobacco. In these discussions, it should be understood that the term “drug(s)” refers to illicit substances such as methamphetamine, cocaine, THC/marijuana, etc. Discussion referring specifically to prescription or over-the-counter medications will be noted.

Opioids

Due to their vast availability and addictive qualities, *opioids* may be the category of drugs fueling the most rapid growth in substance abuse among Iowans. Opioids encompass opioid analgesics, or prescription pain medicines, such as hydrocodone, oxycodone, methadone, morphine and fentanyl. Opioids also include some illicit substances, such as heroin. Prescription opioids can be very effective for treating pain, but prolonged use or abuse may lead to addiction. Opioid abuse is a complex challenge requiring a balanced

Appendix Two: Drug Use Profile


response to allow for proper medical treatment, while preventing substance abuse that can ultimately result in lethal overdose.

Prescription opioids are one of the three main broad categories of medications with abuse potential. The other two categories of prescription drugs with similar risks are stimulants and central nervous system depressants. A more detailed Iowa profile of prescription and over-the-counter drug abuse follows, as does additional information on heroin and related issues.

Prescription Drugs and Over-the-Counter Medications


The U.S. Drug Enforcement Administration notes that hydrocodone is the most commonly diverted and abused controlled pharmaceutical in the U.S. According to data from the Prescription Drug Monitoring Program, the top 10 controlled substances prescribed in Iowa comprise approximately 82% of all prescriptions filled. These 10 medications include painkillers such as Vicodin and Percocet, anti-anxiety medication such as Xanax and Ativan, the sleep-inducer Ambien, and Attention Deficit Hyperactivity Disorder (ADHD) medications such as Adderall and Ritalin.

Top 10 Controlled Substances Prescribed to Iowans



Source: CY 2014, [Iowa Board of Pharmacy](#)

Number of Schedule II, III, and IV Prescriptions Filled in Iowa



Source: CY, [Iowa Board of Pharmacy](#)


The Iowa Department of Public Safety, Division of Narcotics Enforcement (DNE), opened 68 pharmaceutical diversion cases and seized 6,529 dosage units over the past four fiscal years (2012 – 2015). Treatment centers anecdotally report a dramatic increase in prescription drug abuse clients. And, according to the 2014 Iowa Youth Survey, 5% of Iowa 11th graders have used prescription drugs for non-medicinal purposes in the past 30 days. The trends are clear.

Appendix Two: Drug Use Profile

According to the Partnership for Drug-Free Kids 2013 Partnership Attitude Tracking Survey (PATS), nearly one in four teens (23 percent) nationally report intentionally abusing prescription drugs to get high at least once in their lives.

The Iowa Prescription Monitoring Program (PMP) indicates possible doctor shopping and/or pharmacy hopping to obtain excessive amounts of prescription drugs. In 2014, there were 527 lowans that filled CII – CIV prescriptions from 5 or more prescribers or pharmacies. Approximately 33% of prescribers, such as physicians, have registered for access to the PMP but the rate of usage is much lower. Pharmacists are required to submit data, but not to consult the PMP when filling a prescription. Iowa overdose deaths primarily from prescription opioids/narcotics – which include hydrocodone and oxycodone – increased more than 1,825%, from 4 deaths in 2000 to an all-time high of 77 deaths in 2013. This number decreased to 42 in 2014.


Iowa Opioid Pain Reliever Overdose Deaths
(Rx Methadone, Other Opioids, and Other Synthetic Narcotics)



Source: CY, [Iowa Department of Public Health, Bureau of Health Statistics](#)

Opiate-related emergency department visits are more than double what they were several years ago. This number may not include unspecified or other drugs, or opiates combined with alcohol.

Number of Opiate-Related Emergency Department Visits




Source: CY, [Iowa Department of Public Health, Division of Behavioral Health](#)

Additionally, attitude drives behavior. Many teens and adults have a false sense of security about prescription and over-the-counter drugs. This attitude leads them to believe that using these drugs is not as dangerous as using drugs like methamphetamine. This in turn leads them to wrongly believe that using a medicine without a prescription is not harmful and that abusing prescription pain killers will not cause addiction. These substances are widely available and are often obtained within the home. Many adults do not understand the behavior of intentionally abusing medicine to get high, and are not discussing the risks of this behavior with their children. According to the 2013 PATS results, 16% of parents believe using prescription drugs to get high is much safer than using illicit drugs.


Appendix Two: Drug Use Profile

Percent of Students Self-Reporting the Current Non-Medical Use of Prescription Medications



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)


Percent of Students Self-Reporting the Current Non-Medical Use of Over-the-Counter Medications



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Painkillers (e.g., hydrocodone and oxycodone) seem to be the favorite targets of thieves who steal from medicine cabinets and pharmacies. The high number of hydrocodone and oxycodone “human exposure” calls to the Iowa Statewide Poison Control Center highlights this dangerous trend. The projected number of calls for 2015 (based on 9 months of data) was on track to rise. This data does not include other prescription opioids, such as methadone, that can also cause addiction and toxic exposure.

Number of Hydrocodone and Oxycodone “Human Exposure” Calls to the Iowa Poison Control Center




Source: CY (*projected number), [Iowa Statewide Poison Control Center](#)

Heroin

Anecdotally, heroin use is on the rise in Iowa. According to Iowa Department of Public Health treatment data, heroin screenings/admissions for treatment have increased to an all-time high of 2.0% of all treatment admissions. Although small, this number has almost tripled in the past five years. As more and more people become hooked on prescription opioids, more end up turning to heroin. Because prescription opioids are similar to heroin in how their chemical makeup impacts the brain, some users addicted to pain medicine may transition to heroin. This is especially true when pain medicines become difficult to obtain, or cheaper heroin becomes available in a community.

Appendix Two: Drug Use Profile


Cost Comparison Heroin vs. Prescription Drugs



[DEA](#), 2013

Heroin overdose deaths rose 1,900% from 2003 to 2013, from 1 death to 20. They remained nearly steady with 19 deaths in 2014.


Iowa Heroin Overdose Deaths



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health](#)

Another indicator of the prevalence of prescription opioids and heroin in Iowa is the number of times Naloxone has been administered by EMS personnel in an overdose situation. Naloxone is a medication called an “opioid antagonist” and is used to counter the effects of opioid overdose. Naloxone is used to counteract life-threatening effects of opioids, such as depression of the central nervous system and respiratory system, allowing an overdose victim to breathe normally. It is often referred to as an opioid overdose reversal drug. Naloxone only works if a person has opioids in their system.

Iowa EMS Naloxone Administrations



Source: CY, [Iowa Department of Public Health, Bureau of Emergency and Trauma Services](#)

Appendix Two: Drug Use Profile


Iowa Average Heroin Price Per Gram

	2010	2012	2014	2015
Price	\$215	\$250	\$250	\$225

Source: [Iowa Counterdrug Task Force](#)

The Iowa Department of Public Safety’s Division of Narcotics Enforcement reports five years of statewide heroin statistics. In 2011, DNE opened 1 heroin case and seized 112 grams of heroin. In 2015, those numbers increased to 15 heroin cases and 3,941 grams seized. Seizure amounts for any drug may vary greatly from year to year, especially when you have one or two large seizures, and represent only a partial picture. The Iowa crime lab also reports an increase in heroin cases and grams tested.

Heroin Seizures in Grams



Source: CY (*YTD), [Iowa Department of Public Safety Criminalistics Lab](#)

May not include all seizures – larger cases may be sent to DEA lab.

Fentanyl is a synthetic and short-acting opioid analgesic that is 50-100 times more potent than morphine, and is approved for managing acute or chronic pain associated with advanced cancer. Although pharmaceutical fentanyl can be diverted for misuse, most cases of fentanyl-related morbidity and mortality have been linked to illicitly manufactured fentanyl and fentanyl analogs, collectively referred to as non-pharmaceutical fentanyl (NPF). NPF is sold via illicit drug markets for its heroin-like effect and often mixed with heroin and/or cocaine as a combination product—with or without the user’s knowledge—to increase its euphoric effects. While NPF-related overdoses can be reversed with naloxone, a higher dose or multiple-number of doses per overdose event may be required to revive a patient due to the high potency of NPF.

In the fall of 2015, the Centers for Disease Control and Prevention (CDC) issued a Fentanyl “Health Advisory” to put health care professionals on alert, due to increases in fentanyl drug confiscations and fentanyl-related overdose fatalities in the United States. The CDC advisory followed a national alert issued earlier in 2015 by the Drug Enforcement Administration (DEA), citing fentanyl as a threat to public health and safety. Several states have reported spikes in overdose deaths due to fentanyl and its analog acetyl-fentanyl since late 2013. Similar to previous fentanyl overdose outbreaks, most of the more than 700 fentanyl-related overdose deaths reported to DEA during this timeframe were attributable to illicitly-manufactured fentanyl, often mixed with heroin.

Iowa’s Division of Criminal Investigation laboratory reports 13 cases containing fentanyl during the first three quarters of 2015, most in overdose cases and all but one mixed with heroin. While that number is relatively small, it marks a noticeable increase from its six fentanyl cases in 2014, and even fewer annual cases dating back to 2009.

Appendix Two: Drug Use Profile


Marijuana

Data indicate that marijuana is the most prevalent illegal drug and after alcohol, the second most used/abused substance by adults in Iowa. It also appears as though marijuana has held this distinction for quite some time. Although marijuana use is prevalent in Iowa, according to the National Survey on Drug Use and Health (NSDUH), less than six percent of Iowans say they currently use the drug.

Law enforcement officials have also reported that the potency of marijuana has increased in recent years. The Division of Criminal Investigation Laboratory reports that most of the marijuana it currently sees is made up primarily of the buds of the female plants, versus marijuana of the past which also contained inactive particles such as leaves and stems. The buds contain the delta-9-tetrahydrocannabinol (THC), which is the primary psychoactive chemical in marijuana. This change represents a significant increase in the potency of this drug which is expected to have more acute personal and societal consequences.

Approximately 7.6% of all marijuana sample submissions tested by the Iowa crime lab in the first two-thirds of 2015 involved high-potency marijuana “preparations” or “concentrates” such as oils, waxes, and marijuana-infused edibles. Part of this can be attributed to the influx of marijuana from states where recreational marijuana use has been legalized.


Percent of Marijuana Samples Tested



Source: CY (2015 YTD Jan-Aug), [Iowa Department of Public Safety](#)

Marijuana seizures reported by the Iowa Department of Public Safety have fluctuated in recent years. According to the DPS, marijuana submission rates are up, but there have been fewer cases involving large amounts of the drug. This may be due to the rise of marijuana concentrates, which typically involve smaller amounts of more potent marijuana.

Marijuana Seizures, in Pounds



*Calendar year - YTD


Appendix Two: Drug Use Profile

**May not include all seizures. Larger cases may be sent to DEA lab.*

Source: CY, [Iowa Department of Public Safety Criminalistics Lab](#)

Our interstate system of highways is often used by drug smugglers travel to or through Iowa. Colorado and California, states which permit “medical marijuana,” increasingly are cited as source states for marijuana seized in interdiction stops by Iowa law enforcement. In 2014, the marijuana seized by the Iowa State Patrol in these types of stops from “medical marijuana” states included 39% from California and 30% from Colorado. The data below represent significant seizures, or larger amounts associated with distribution or drug trafficking.


Source of Significant Marijuana Seizures by the Iowa State Patrol



Source: CY 2014, [Iowa Department of Public Safety](#)

The prevalence of marijuana use is further demonstrated by the adult screenings/admissions to substance abuse treatment programs in Iowa, as well as emergency department visits due to marijuana use. In data collected, marijuana was the most often reported primary drug of use/abuse, other than alcohol, for adults during the period of SFY 1997 – 2015. Hospital emergency department visits have risen 259% in eight years. This data reinforces the fact that despite misconceptions by some, marijuana can be harmful and is an addictive drug.

Number of Marijuana-Related Emergency Department Visits



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health](#)


Based on the data presented in this section, it is clear that marijuana is the drug of choice for the majority of adult Iowans who use illegal drugs; however, comparatively few are admitted to prison with a primary charge related to marijuana. Ninety percent of those admitted to prison with a primary charge of marijuana are convicted at the felony level. A review of the most

Appendix Two: Drug Use Profile

recent Iowa workplace drug test data available shows marijuana was the drug for which Iowa workers most frequently tested positive. Of the positive drug tests reported to the Iowa Department of Public Health over the past 7 years, nearly 60% were positive for marijuana. The next most prevalent drug was methamphetamine, at 15.8%.


The Iowa Youth Survey shows that marijuana is the illicit drug of choice among youth. In 2014, 11% of 11th graders reported current use. Again, attitude drives behavior. Nearly one quarter of Iowa teens perceive no risk in smoking marijuana once or more per week. This number has doubled in the past ten years, coinciding with an increase in “medical marijuana” discussions and the legalization of marijuana for recreational use in a few states.

Percent of Students Self-Reporting the Current Use of Marijuana



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Percent of Students Perceiving No Risk Smoking Marijuana Once or More a Week




Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Substance abuse reporting system data also illustrate that marijuana is the primary illicit drug of choice among Iowa youth, and that its prevalence as the drug of choice for this population has generally increased for the period of time included in this review.

Appendix Two: Drug Use Profile


Percentage of Youth Screenings/Admissions to Substance Abuse Treatment Programs with Marijuana as Primary Drug



Source: FY15, [Iowa Department of Public Health, Division of Behavioral Health](#)

Amphetamine/Methamphetamine

Methamphetamine Seizures in Grams



Source: CY, [Iowa Department of Public Safety Criminalistics Lab](#)
 *May not include all seizures. Larger cases may be sent to DEA lab.

As illustrated in this figure, methamphetamine seizures by Iowa law enforcement agencies dropped off following a substantial reduction in meth labs about ten years ago, but have begun rising again in recent years, and are now at their highest level since 2004. It's worth noting that this data from the Iowa Division of Criminal Investigation laboratory does not include all meth seizures. Large and major case amounts that were submitted to the U.S. Drug Enforcement Administration's laboratory for federal prosecution are not included in these figures.

According to Iowa law enforcement officials, one reason for the surge in meth seizures is an increase in the quantity and quality of meth being smuggled into Iowa from Mexico and other states. They report intercepting large shipments of high purity methamphetamine with increasing frequency in many Iowa communities.

One indicator of the availability of methamphetamine is the price and purity of law enforcement seizures. In recent months, the Iowa Department of Public Safety's Division of Narcotics Enforcement has experienced a significant increase in major cases involving large quantities of

Appendix Two: Drug Use Profile

high purity methamphetamine. These cases generally involve meth smuggled into Iowa from Mexico and other states. Some meth encountered by law enforcement agencies is 99% to 100% pure. That compares with an average purity level ranging from 14% to 40% ten years ago.

Iowa Average Methamphetamine Price per Gram and Purity

	2004	2006	2008	2010	2012	2015
Price	\$100	\$120	\$123	\$130	\$135	\$125
Purity	33%	40%	40%	79%	87%	97%

Source: [Iowa Counterdrug Task Force](#)

Meth labs in Iowa are smaller in number and size, compared to a few years ago. Most of the meth labs now reported are the smaller “one pot” variety, a method that was first introduced in the State in 2010. This method generally uses less pseudoephedrine and other precursor chemicals, and produces methamphetamine in smaller quantities. They are more portable than their predecessor labs, but still can be unstable and dangerous. Lab remnants can easily be transported in a vehicle and disposed of in neighborhoods and ditches. Aside from their environmental impact, “one pot” labs pose serious health and safety hazards due to the potential for flash fires and the caustic waste material involved.


In 2005, the Iowa Legislature passed legislation limiting the availability of pseudoephedrine, a key ingredient in the illegal manufacture of methamphetamine. Additional legislation was passed in 2009, requiring all Iowa pharmacies that sell non-prescription pseudoephedrine products over-the-counter to participate in an electronic Pseudoephedrine Tracking System. Additional meth precursors, or ingredients, have also been regulated by the Legislature.

Since 2010, Iowa’s Office of Drug Control Policy has managed the Pseudoephedrine Tracking System, as part of the National Precursor Log Exchange (NPLEx). NPLEx is a real-time tracking system used by virtually all Iowa pharmacies as a stop-sale system, to flag pharmacists when customers are about to exceed their pseudoephedrine purchase limits to prevent the sale from taking place. Blocking improper sales in real-time prevents actions that lead to the production of meth. In the 5 years since implementing NPLEx, more than 118,000 illegal purchase attempts have been blocked, preventing the sale of over 715 pounds of pseudoephedrine, averting the possible production of over 650 pounds of methamphetamine.


Due to these and other actions, including an array of drug prevention, treatment and enforcement efforts, meth labs and the public safety threats associated with them have reached their lowest point in almost 18 years in Iowa, dating back to 1997. The influx of high-grade meth smuggled into our state in recent years may also be contributing to the suppression of meth labs in Iowa.

Appendix Two: Drug Use Profile

State and Local Methamphetamine Clandestine Laboratory Responses




Source: CY (*YTD), [Iowa Department of Public Safety](#)



While Iowa experienced a significant reduction in methamphetamine-related prison admissions (down 57.9%) from 2004-2009, admissions have steadily increased since that point, up 24%.


Methamphetamine-Related Prison Admissions



Source: FY, [Criminal and Juvenile Justice Planning](#)

While the supply source may have changed for some in Iowa, demand for the addictive stimulant remains strong. In addition to the increase in meth-related prison admissions in recent years, meth-related substance abuse treatment admissions are at an all-time high.

Percentage of Adult Screens/Admissions to Substance Abuse Treatment Programs with a reported Primary Substance of Abuse of Methamphetamine




Source: SFY, [Iowa Department of Public Health, Division of Behavioral Health](#)

While the demand for meth among the Iowa's adult population remains seemingly high, young Iowans use meth at a relatively low level.

Appendix Two: Drug Use Profile

Percent of Students Self-Reporting the Current Use of Amphetamine/Methamphetamine




Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Cocaine/Crack Cocaine

Until the growth in the use of methamphetamine in the 1990s, the second most prevalent illegal drug in Iowa was cocaine or crack cocaine. Overshadowed by the use of meth and other drugs by Iowans, cocaine represents a smaller but significant problem.

In 2008 and 2010, the Iowa Division of Narcotics Enforcement reported having several large cases involving cocaine. Since then, seizures have varied.

Iowa Cocaine/Crack Cocaine Seizures, in Grams



Source: CY, [Iowa Department of Public Safety](#)

*May not include all seizures. Larger cases may be sent to DEA lab.


Iowa Average Cocaine Price per Gram

	2004	2006	2008	2010	2012	2015
Price	\$100	\$110	\$80	\$125	\$130	\$113

Source: [Iowa Counterdrug Task Force](#)


Cocaine-related admissions to prison represented 8.6% of drug-related prison admissions in FY 2015. The number of prison admissions for crack/cocaine is the lowest it has ever been since this data was first collected in 2004. Based on the data indicators illustrated here, it would appear that cocaine/crack cocaine continues to represent a drug of substantial use/abuse among the drug using population in Iowa. There is little reported use of cocaine/crack cocaine by Iowa youth.

Cocaine/Crack Cocaine-Related Prison Admissions



Appendix Two: Drug Use Profile

Source: SFY, [Criminal and Juvenile Justice Planning](#)



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Data regarding the prevalence of cocaine/crack cocaine as the primary substance of abuse among juveniles screened/admitted to substance abuse treatment programs while remaining constant for the past 10 years is also very low. In 2015 only .3% of the youth admitted to treatment cited Cocaine/Crack Cocaine as the primary substance of abuse.

Synthetic Cannabinoids and Cathinones

Another continuing threat to the health and safety of Iowans is the use of synthetic drugs. These substances, also known as synthetic cannabinoids and synthetic cathinones, are marketed as K2, Spice, and bath salts. The cannabinoids are herbal substances that are sprayed with one or more chemical compounds. They are marketed as incense and not for human consumption, but are often used by Iowa youth and at times produce dangerous hallucinogenic effects. The effects of bath salts mimic cocaine.

Dangers still exist, but the availability of synthetic drugs appears to have decreased in recent years. Reasons for the change are unclear, but several high-profile legal cases, including a successful Consumer Protection action by the Iowa Attorney General's Office, may have deterred businesses from the continued sale of these products.

The Iowa Division of Criminal Investigation crime lab reports a drop in synthetic drug submissions, beginning late in 2014 and continuing through 2015. Of the synthetic drug cases it does receive, the crime lab estimates 70 percent of recent submissions involve newer uncontrolled compounds, most of which are the synthetic cannabinoid variety. Relatively few synthetic cathinones have been submitted to the crime lab in recent months, and most of those are already controlled under Iowa law.


Other Illicit Drugs

Marijuana, methamphetamine, heroin and cocaine/crack cocaine constitute only four of the illegal drugs used in Iowa today. Other drugs such as LSD and PCP also play a role in the overall problem of substance and drug abuse within the State, but their usage by drug abusers is currently relatively low.

Appendix Two: Drug Use Profile

The percentage of Iowa adults being admitted to a substance abuse treatment program whose primary drug of abuse is “unknown or other” has dropped dramatically after a sharp rise.

Percentage of Adult Substance Abuse Treatment Screening/Admissions with an Other or Unknown Primary Substance of Abuse




Source: FY, [Iowa Department of Public Health, Division of Behavioral Health](#)

Inhalants

Inhalant use more often starts at younger ages and continues to be of concern. The perception of risk related to inhalant use is dropping. As attitudes weaken, abuse is more likely to increase.

Percent of Students Self-Reporting the Current Use of Inhalants



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)


Tobacco

Much data and information has been published by the federal Centers for Disease Control and Prevention and other organizations to inform the general public of the dire consequences of using tobacco products. These organizations estimate that annually 4,600 Iowans die as a result of smoking, and that smoking results in the loss of 13.4 years of potential life. For Iowa smokers wishing to quit, Quitline Iowa offers tobacco cessation coaching services over the telephone or internet, 24 hours a day. The Quitline Iowa program provides information about all of these options as safe alternatives to using e-cigarettes as a quitting method.

The Iowa Department of Public Health reports a new program with “Quit Coaches” was launched in 2012. Quit Coaches have been trained and are well versed in techniques to help e-cigarette users quit, regardless of whether they are using electronic cigarettes alone or using both smoked tobacco and electronic cigarettes. Quitline Iowa’s behavior change-based program is backed by more than 35 years of research.

Appendix Two: Drug Use Profile


Percent of Students Self-Reporting the Current Use of Tobacco



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Iowa students were asked about electronic cigarette (e-cigarette or vapor device) use for the first time in the 2014 Iowa Youth Survey. Eleven percent of 11th graders report current use of e-cigarettes, while 10% report current use of traditional cigarettes.

Percent of Students Self-Reporting the Current Use of Electronic Cigarettes



Source: CY, [Iowa Department of Public Health, Division of Behavioral Health – IYS](#)

Targeted Strategies: Results, Indicators, and Priorities

1. Strengthen Efforts to Make Iowans Healthy & Drug-Free


The use of drugs and abuse of alcohol has a devastating impact on the safety and well-being of all Iowans. Preventing drug use before it begins and changing attitudes are cost-effective ways to build safe and healthy communities. Effective treatment addresses addiction issues and has a long-term positive impact on the addict, their family and the community-at-large.

Reduce youth use of alcohol, tobacco, and marijuana

Youth who begin using substances as pre-teens or teenagers are much more likely to experience alcohol and other drug abuse problems later in life. Delaying the onset of illegal drug use or alcohol abuse is an important strategy for reducing the incidence and prevalence of youth substance abuse. Traditionally, youth in grade 6 use less than students in grade 8, who use less than students in grade 11. By using evidence-based, comprehensive prevention strategies in schools and communities, particularly while children are young, Iowa youth should report less substance use than in previous years.

The Iowa Youth Survey (IYS) is a self-reporting survey conducted every two years by the Iowa Department of Public Health's Division of Behavioral Health. Results from the 2014 survey were released in the spring of 2015. The IYS compiles data regarding the use of alcohol and other drugs from youth in grades 6, 8, and 11 in public and non-public schools. Students answer questions about their attitudes and experiences regarding substance abuse and violence, and their perceptions of peers, family, schools and community environments.

Percent of Students in Grade 11 Reporting Current Use of Alcohol, Tobacco, and Marijuana



Source: CY, [Iowa Youth Survey](#)

What Works


Initiatives that work to reduce the number of Iowa youth who use alcohol and other drugs include: schools implementing evidence-based substance abuse prevention programming;

increasing the awareness of, and access to, prevention programming and information; reducing youth access to alcohol, tobacco, and illicit drugs; programming that is culturally relevant to the target population; alignment with the national strategic prevention framework, as well as state frameworks, including the components of assessment, capacity building, planning, implementation and evaluation; community coalitions involving professionals, parents, and others who support prevention efforts; mentoring programs based on best practices; and strengthening the involvement of parents, and other influential adults as healthy role models.

Reduce the number of alcohol and drug-related Iowa traffic fatalities

Impaired driving remains a significant factor in traffic related injuries and fatalities in Iowa. Motor vehicle crashes are the leading cause of death for all 15-20 year olds, according to the National Center for Health Statistics. Alcohol is one of the leading causes of fatal traffic crashes. In Iowa, alcohol is second only to excessive speed as a contributing factor in all traffic crashes.

In Iowa, a person commits the offense of operating while intoxicated (OWI) if that person operates a motor vehicle while under the influence of alcohol, drugs or a combination of both. The per se law makes the driver culpable even without any outward signs of intoxication. This is important to note when dealing with prescription drug abuse.



Source: CY, [Iowa Department of Transportation & Department of Public Safety, Governor's Traffic Safety Bureau](#)

What Works

Initiatives that work to reduce the number of alcohol and drug-related traffic fatalities in Iowa include: specialized alcohol-related traffic safety education; environmental prevention strategies addressing community norms about alcohol use and abuse; reducing youth access to alcohol products; alcohol compliance checks at retail establishments, bars, and restaurants; alcohol server/seller training; graduated licensing for underage youth; Intoxilyzer lockouts for vehicles; and having a 21 year-old legal drinking age.


Reduce the number of Iowans engaged in heavy or binge drinking

Alcohol is the most frequently abused substance in Iowa. Alcohol consumed on an occasional basis at the rate of no more than one ounce per hour poses little risk to most adults. Currently, the recommended maximum alcohol consumption for those under the age of 65 is an average of

two drinks per day for men and one for women. Iowans who drink with greater frequency or in greater quantities put themselves at risk for a host of medical problems including cancer, cardiovascular events, and liver and kidney metabolic diseases.

Alcohol dependency and abuse are major public health problems carrying enormous cost and placing heavy demands on the health care system. Additionally, heavy and binge drinking threatens the safety of others through alcohol-related crashes and fatalities, homicides, sexual assault and workplace accidents. Reducing heavy and binge drinking in Iowa will improve the health and safety of Iowans while reducing health care costs. According to the data below, percentages of adult Iowans who report heavy and binge drinking have remained nearly steady.

Percent of Adult Iowans (18 and over) Reporting Heavy or Binge Drinking



Source: [CDC Behavioral Risk Factor Surveillance System](#)


What Works

Initiatives that work to reduce the percentage of Iowans who binge drink or drink heavily include: Drug-free workplace policies; school and community programming; community coalitions involving professionals, parents, and other supporters; raising the age of onset of alcohol use; prevention services for the lifespan (prenatal through death); and the 21 year-old legal drinking age.

Reduce the number of Iowans who smoke

Tobacco use is the single largest cause of preventable premature mortality in the United States. It represents an enormous financial burden on healthcare, costing an estimated \$1 billion annually in Iowa alone. Tobacco use among adults and exposure to secondhand smoke continue to be major public health problems. Having fewer tobacco users of all ages in Iowa and creating smoke-free environments for all Iowans are keys to reducing tobacco-related illnesses and costs.

Percent of Adult Iowans Reporting Current Smoking



Source: [CDC Behavioral Risk Factor Surveillance Surveys](#)


What Works

Initiatives that work to reduce the percentage of Iowans who smoke include: tobacco retailer compliance checks, education and reinforcement; community mobilization combined with additional interventions, reducing client out-of-pocket costs for tobacco cessation therapies; multi-component interventions; telephone hotlines; and healthcare provider reminder systems.


Increase the number of treatment clients who are employed and abstinent six months post-treatment

Over 68% of treatment clients who participated in the Year Seventeen Outcomes Monitoring Study for 2014 were employed full or part-time six months after treatment, compared to only 40.6% of clients at treatment admission. More than 45% of treatment clients remained abstinent six months after treatment discharge. Treatment must be comprehensive, evidence-based, and multi-systemic. It must enhance a client's motivation (why they need to change), insight (what to change) and skills (how to change). Effective treatment addresses addiction issues and has a long-term positive impact on each person, family, and community.

Percent of Treatment Clients Employed *Full or Part-Time Six Months Post Treatment



Percent of Treatment Clients Abstinent Six Months Post Treatment



*Beginning in 2010, employment includes full and part-time, whereas in past years, this chart only reflects full-time employment.
Source: Iowa Department of Public Health Division of Behavioral Health – Outcomes Monitoring System
Prepared by the [Iowa Consortium for Substance Abuse Research and Evaluation, University of Iowa](#)

What Works


Initiatives that work to keep treatment clients abstinent and employed six months after treatment discharge include: drug task force enforcement of laws, which leads to more treatment admissions via the criminal justice system; individualized treatment plans; increased accessibility and capacity for treatment; early identification; aftercare services; retention in treatment; drug courts; family education; and treating co-occurring disorders.

Reduce the number of confirmed or founded cases of child abuse related to the denial of critical care

Experts agree there is a high correlation between parental substance abuse and child abuse. In Iowa, denial of critical care (child neglect) is the most frequent form of child abuse. While not all denial of critical care abuse is related to substance abuse, there is overwhelming evidence that addicted caregivers do not provide adequate care for their children. Cases like these point to the need to recognize the significant impact drug use has on denial of critical care.

Over the past ten years, Iowa Department of Human Services (DHS) data has indicated a large percentage of child abuse cases related to the denial of critical care. However, changes in Iowa's handling of child abuse reports in 2014 make it harder to compare some figures over time.

In 2014, DHS instituted a reform called Differential Response, which creates two pathways for handling reports of alleged denial of critical care. Denial of critical care reports initially seen as involving low risk are assigned to the Family Assessment pathway, which does not lead to a determination of where or not there was child abuse. Reports with a higher perceived risk to children are assigned to the traditional Child Abuse pathway where DHS staff make a determination of whether abuse occurred or not. Family Assessment reports can be transferred to the Child Abuse pathway if the risk of harm to a child is greater than the first perceived risk. Because of Differential Response, the total number of children abused is far lower than in previous years.




Source: CY, [Iowa Department of Human Services](#)

**Since a child can be confirmed to be the victim of more than one form of child abuse at one time, the number of types of abuse is greater than the number of children abused. Beginning in 2006, DHS reported Confirmed and Founded Abuse totals together, whereas in previous years this chart showed Confirmed cases only.*

**January 1, 2014, DHS implemented Differential Response system for reacting to child welfare complaints.*

In previous years, denial of critical care cases comprised almost 80% of total abuse cases. In 2014, approximately two out of every five denial of critical care cases were assigned to Family Assessment and did not receive a determination of abuse. By contrast, all reports involving the other forms of abuse went the Child Abuse Assessment pathway and were subject to a determination of abuse. As a result of this different handling of reports, the proportion of all cases of confirmed or founded abuse that involved denial of critical care declined to 70%.

Percentage of Confirmed or Founded Cases of Child Abuse Related to Denial of Critical Care



Source: CY, [Iowa Department of Human Services](#)

**Since a child can be confirmed to be the victim of more than one form of child abuse at one time, the number of types of abuse is greater than the number of children abused. Beginning in 2006, DHS reported Confirmed and Founded Abuse totals together, whereas in previous years this chart showed Confirmed cases only.*

**January 1, 2014, DHS implemented Differential Response system for reacting to child welfare complaints.*

What Works

Initiatives that work to reduce the number of child abuse cases related to denial of critical care include: family drug treatment court; child welfare-substance abuse partnerships; Community Partnerships for Protecting Children; drug testing; improved intake/screening/assessment and treatment for system involved clients and the Drug Endangered Children program.

Strengthen Efforts to Make Iowan's Healthy and Drug Free – Possible Byrne Program Responses

- Drug Endangered Children Program
- School-based prevention programs with local community coalition participation
- Programs which provide information to the public on emerging drugs
- Public service campaigns to empower parents/caregivers to educate their children about drugs
- Substance abuse prevention services targeting high risk youth and their parents
- Programs that integrate substance abuse prevention services with services provided through the Department of Human Services and the Department of Corrections
- Programs that provide retail alcohol sales training
- Enforcement programs to address drunk and drugged driving laws
- Anti-drug coalitions programs which establish environmental prevention strategies and activities.
- Programs that address underage and binge drinking on college campuses
- Diversion to treatment for low-risk non-violent alcohol and other drug addicted offenders
- Programs to monitor illegal prescription drug abuse
- Intensive supervision programs for drug involved offenders
- Programs to assist offender transition from jail/prison to the community
- Programs that increase treatment resources for juvenile or adult offenders
- Programs that provide substance-free supervised transitional housing
- Programs that improve early identification of substance abuse issues in high risk populations
- Programs that resist efforts to legalize marijuana and other harmful drugs

2. Safeguard Iowa Communities from Illegal Drugs

By reducing illegal drugs in Iowa communities, the cycle of addiction that compromises our communities' health and safety can be broken, and our youth will be much safer.


Reduce the number of clandestine methamphetamine labs in the State

Methamphetamine is one of the few drugs of abuse which can be easily synthesized using items commonly found in most homes. Newer methods of making methamphetamine, called one-pot or "shake n bake" labs, also pose a threat to unsuspecting Iowans. These methods generally use less pseudoephedrine and produce methamphetamine in smaller quantities, but are no less dangerous than other production methods. They involve putting toxic chemicals in a plastic bottle and shaking it, causing an extremely high amount of pressure to build up in the container resulting in rupture. The process is incredibly unstable, causing fires and injuring people. The remnants are often disposed of in neighborhoods and ditches.

Another new form of drug manufacturing reportedly is making its way into Iowa. Butane hash oil (BHO) labs are named after the process of extracting high-potency THC from marijuana using butane. Aside from their environmental impact, drug labs pose a particular hazard to children and other unsuspecting Iowans who come in contact with unsafe materials or waste, or are impacted by explosions and flash fires from these cooks.

Since passage of Iowa's Pseudoephedrine Control Act in May 2005, there has been a significant drop in the number of methamphetamine labs in Iowa. State legislation to implement a real-time, electronic, pseudoephedrine tracking system was successfully passed in 2009. The system was implemented in 2010. Iowa ODCP manages the system which connects all pharmacies to identify those who attempt to illegally purchase more than their daily or monthly limit to make methamphetamine. 100% of pharmacies in the state that sell pseudoephedrine products over-the-counter actively participate. This connectivity helps reduce smurfing (pharmacy-hopping) and law enforcement reports the system is very helpful in methamphetamine investigations.

State and Local Methamphetamine Clandestine Laboratory Responses



*Calendar year through September 30

Source: CY, [Iowa Department of Public Safety](#)

What Works


Initiatives that work to reduce methamphetamine labs in Iowa include: enforcement units that respond to and dismantle clandestine laboratories; multi-jurisdictional drug enforcement task forces; coordinated intelligence collection, analysis and sharing; collaborating with community businesses, human services, corrections, and health care; real-time electronic precursor (pseudoephedrine or PSE) tracking and point-of-sale controls; and pharmacist and technician education.

Increase treatment admissions for substances other than alcohol

Appropriate and effective substance abuse treatment is essential in breaking the cycle of addiction and promoting public safety. Few people enter substance abuse treatment without pressure from family members or sanctions from authority figures such as employers or criminal justice officials. For many illicit drug users an arrest is the first step in a long process of rehabilitation and recovery.

In Iowa, about half of the clients screened/admitted to substance abuse treatment are referred by the criminal justice system. Drug Task Forces play a key role in getting more Iowa drug offenders into treatment. In Iowa counties where there is active drug task force coverage, 45% more treatment admissions are made via the criminal justice system than in counties without task forces. An ODCP analysis finds an average of 6.17 treatment admissions per 1,000 in population via the criminal justice system in task force covered counties versus only 4.26 treatment admissions per 1,000 in population in non-covered counties.

**Substance Abuse Treatment Program Screenings/Admissions for Adults
with a Primary Substance of Abuse Other than Alcohol**



Source: FY, [Iowa Department of Public Health, Division of Behavioral Health](#)


What Works

Initiatives that work to increase treatment admission numbers for drugs in Iowa include: multi-jurisdictional drug task forces; coordinating intelligence collection and sharing; community-based treatment; drug courts; intensive supervision with treatment; and Access to Recovery.

Reduce the ease of access to cigarettes, alcohol, and marijuana by Iowa's youth

The Iowa Youth Survey has shown a reduction in how easy students in grade 11 think it would be to obtain alcohol, cigarettes, and marijuana. In 2014, 66% of 11th graders thought it would be "easy" or "very easy" to get alcohol. Ease of access is a key factor in youth substance abuse.

**Ease of Access to Cigarettes, Alcohol, and Marijuana in Iowa Communities
As Perceived by Iowa 11th Graders**



Source: CY, [Iowa Youth Survey](#)


What Works

Initiatives that work to reduce the perceived ease of access to cigarettes, alcohol and marijuana by Iowa youth include: schools implementing evidence-based substance abuse prevention programming; increasing access to prevention programming; reducing youth access to alcohol and tobacco; cross training among multiple disciplines to enhance involvement in prevention; a credible and sustainable prevention workforce; aligning with the national strategic prevention framework; community coalitions involving multiple sectors; mentoring programs; evidence-based parent education programs; healthy role models; and the 21 year-old legal drinking age.

Reduce the number child abuse cases related to the presence of an illegal drug in a child’s body or manufacturing meth in the presence of a minor

In 2014, the presence of illegal drugs in a child’s body and manufacturing methamphetamine in the presence of a minor accounted for 921 founded child abuse reports. When all denial of critical care, presence of illegal drugs in a child’s body and manufacturing methamphetamine in the presence of a minor are combined, they represent 80% of confirmed and founded child abuse cases in Iowa. Intervention with these families provides the opportunity for the parents to get treatment. The intervention provides the motivation for parents to successfully complete the treatment protocol in an effort to be reunited with their children. Treatment can also break the generational cycle of addiction and abuse, dramatically improving children’s futures.

**Number of Confirmed or Founded Cases of Child Abuse Related to
Presence of an Illegal Drug in a Child’s Body or
Manufacture of Methamphetamine in the Presence of a Minor**



Source: CY, [Iowa Department of Human Services](#)

* In 2006, DHS began reporting Confirmed and Founded totals together whereas in previous years this chart showed Confirmed only.

*DHS does not drug test all children if other evidence substantiates a confirmed or founded report.

*January 1, 2014, DHS implemented Differential Response system for reacting to child welfare complaints.

What Works

Initiatives that work to reduce child abuse cases involving meth labs and drugs in a child's body include: family drug treatment court; child welfare-substance abuse partnerships; Community Partnerships for Protecting Children; drug testing; improved intake, screening, assessment and treatment for system involved clients; the Drug Endangered Children program; community-based follow-up; support services; substance abuse treatment; and parenting programs.

Safeguard Iowa Communities from Illegal Drugs - Possible Byrne Program

Responses


- Programs to divert non-violent offenders from jail/prison to treatment
- Juvenile and adult drug court programs
- Programs to provide case management resources for community-based criminal offenders receiving treatment services
- Jail-based treatment programs
- Multi-jurisdictional drug enforcement task forces
- Program that use drug intelligence systems to increase law enforcement effectiveness
- Narcotics law enforcement training opportunities for local law enforcement and prosecutors
- Crime lab enhancements which reduce the turnaround time for evidence analysis
- Precursor diversion prevention and enforcement programs
- Programs that link correctional resources with law enforcement to enhance a drug offender's compliance with the conditions of probation/parole

3. Break the Cycle of Drug Use, Crime, Delinquency, and Incarceration

The use of alcohol and other drugs has long been associated with crime and delinquent behavior that disrupts family, neighborhood, and community life in fundamental and long-lasting ways. People who are abusing alcohol and other drugs are more inclined to commit crimes and pose a public safety threat. About ninety percent of all prison inmates, regardless of the crime they are imprisoned for, abuse alcohol or other drugs. Studies have shown that substance abuse treatment reduces not only drug use but its related crime as well. Iowans are safer when offenders returning to their communities have completed treatment.

Reduce drug-related crime and associated prison admissions

FY 2005 saw the first reduction in drug-related prison admissions in a decade. The reduction from 2004-2009 was largely driven by a sharp decline in methamphetamine cases after the implementation of Iowa's Pseudoephedrine Control Act in May 2005. Since then, however, the importation of meth through drug trafficking organizations has helped fuel an increase in meth related prison admissions. In FY 2015, there were 827 people imprisoned on drug-related charges. Of those, 477, or 58%, were meth-related. Cocaine/crack admissions have reached their lowest level since 2004 when this data began being collected.



Source: FY, [Iowa Department of Human Rights, Division of Criminal & Juvenile Justice Planning](#)

What Works


Initiatives that work to reduce drug-related prison admissions include: precursor controls; environmental prevention policies; drug courts; drug-free housing; intensive supervision coupled with treatment; diversion to treatment; long-term aftercare programming and wrap around services to reduce recidivism; prison to community transitional and re-entry services; indicated prevention programs for at-risk youth; jail-based treatment; mental health and dual-diagnosis treatment, and drug enforcement task forces.

Increase the number of community-based offenders, with an identified substance abuse treatment need, who receive treatment

Studies have shown that substance abuse treatment reduces drug use and related crime. The Iowa Consortium for Substance Abuse Research and Evaluation, on behalf of the Iowa Department of Public Health, Division of Behavioral Health, conducts an annual outcomes evaluation of publicly funded drug treatment clients. As the data demonstrate, all Iowans are safer when offenders returning into the community have completed substance abuse treatment. Findings from the 2014 report include:

- 84% of clients reported no arrests in the six months post discharge from treatment
- Full or part-time employment increased from 40.6% at treatment admission to 68.5% six months since discharge from treatment
- 45.1% of clients remained abstinent six months since their discharge from treatment

Department of Corrections Community-Based Substance Abuse Treatment



Source: FY, [Iowa Department of Corrections](#)


What Works

Initiatives that work to increase the number of community-based offenders who receive treatment when needed include: community aftercare; therapeutic communities with aftercare; community-based treatment; drug courts; drug-free housing; intensive supervision coupled with treatment; wrap-around services (e.g. life skills training, anger management classes, housing and transportation assistance); and long term aftercare programming.

Reduce the number of juvenile alcohol and other drug-related charges

Youth who use substances not only put themselves at risk for health problems and addiction, they often wind up in the juvenile justice system for crimes related to their substance abuse. The adolescent brain is especially vulnerable to addiction. The State Training School provides highly structured, restrictive environments to assist teenagers who are adjudicated as delinquents or children in need of assistance (CINA). The average age of admittance was 16.62 years and the average length of stay was 9.94 months.

Number of Alcohol and Other Drug-Related Juvenile Charges/Allegations



Source: [Iowa Justice Data Warehouse](#)


What Works

Initiatives that work to reduce the number of alcohol and drug-related juvenile charges include: adult to youth mentoring utilizing best practices; community coalitions involving professionals, parents, and others who support prevention efforts; environmental prevention strategies such as modifying attitudes and behaviors regarding drugs of abuse; substance abuse prevention programming targeting identified high-risk youth and their parents/caregivers; positive youth development programs and strategies; employment and job shadowing programs for at-risk youth; coordinating services between education, vocational rehabilitation, the Department of Human Services and Juvenile Court officers; intervention programs such as Rethinking Drinking; and 21 as the legal drinking age.

Increase the number of treatment clients with no arrests six months after completing treatment

Fifty percent of treatment clients who participated in the Year Seventeen Outcomes Monitoring Study for 2014 had no arrests prior to treatment. But, six months after treatment, 84% of clients had no arrests. Substance abuse treatment can be successful. But there are factors that can increase the effectiveness of treatment. Length of treatment and a client’s level of motivation are major indicators of success. Treatment must be comprehensive and multi-systemic. It must enhance a client’s motivation (why they need to change), insight (what to change) and skills (how to change). Effective treatment addresses addiction issues and has a long-term positive impact on the individual, his or her family and friends, and the community.

Percent of Treatment Clients with No Arrests Six Months Post Treatment



Source: Iowa Department of Public Health Division of Behavioral Health – Outcomes Monitoring System
 Prepared by the [Iowa Consortium for Substance Abuse Research and Evaluation, University of Iowa](#)

What Works

Initiatives that work to reduce recidivism (as shown by the percent of treatment clients with no arrests six months after treatment discharge) include: drug task force enforcement of laws, which leads to more treatment admissions via the criminal justice system; individualized treatment plans; motivational interviewing case management; early identification; aftercare services; retention in treatment – longer stays produce better outcomes; drug courts; and family education and involvement.

Break the Cycle of Drug Use, Crime, Delinquency, and Incarceration - Possible Byrne Program Responses

- Programs that divert non-violent offenders from jail/prison to treatment
- Jail-based drug treatment programs
- Co-occurring disorder community based programs
- Family drug courts
- Therapeutic community programs
- Prisoner re-entry programs
- Programs that support mental health services for offenders
- Drug Endangered Children program

Strategy Development Process

Iowa's Substance Abuse Strategy is developed by the Governor's Office of Drug Control Policy (ODCP) and its advisory board, the Iowa Drug Policy Advisory Council (DPAC) in conjunction with local, state and federal officials working within and in support of the criminal justice system, as well as with the general public, local associations, media and other businesses and organizations. The Edward Byrne Memorial State Justice Assistance Grant Program application is one of several elements of the comprehensive substance abuse strategy.

The strategy is developed in four distinct phases described in detail throughout this document and summarized below:

Public Input

The strategy development process includes several opportunities for input from the public. All strategy planning sessions are advertised and open to the public for input and comment. A draft copy of the strategy is posted online and a statewide press release is issued inviting the public to comment. The strategy is also posted on the public document section of the State Library's website.

From time to time the Office of Drug Control Policy commissions surveys of Iowans on specific issues of concern. Detailed information is collected on citizen's behavior, opinions, and knowledge. Surveys have included topics such as Pharmaceutical and over the counter drug misuse/abuse, beer and liquor taxes, and pseudoephedrine tracking system use.

Similar surveys are sometimes also conducted of constituent professionals in the criminal justice, medical, and human service fields to add to our knowledge base and obtain suggestions and feedback on particular issues.

Need Assessment/Resource Needs

ODCP and the Drug Policy Advisory Council collect and analyze, a series of substance abuse data indicators on substance abuse prevention and treatment needs, and provide historical trend data of relevance to evaluate the efforts to reduce both the use and prevalence of alcohol and other drugs in Iowa.

Drug Policy Advisory Council

ODCP's advisory board, the Drug Policy Advisory Council, is made up of executive level officials from all components of the criminal justice field, as well as representatives from the substance abuse treatment, education and prevention field. All levels of government are represented on the Board.

The Iowa Drug Policy Advisory Council membership is defined in Iowa Codes Section 80E and includes the following:

Iowa Drug Policy Advisory Council

Steven F. Lukan
Drug Policy Coordinator

Matthew Harkin
Iowa State Police Association

Jennifer Miller
County Attorney's Association

Warren Hunsberger
Substance Abuse Treatment Director

Katrina Carter
Department of Corrections

Jane Larkin
Substance Abuse Treatment Specialist

Barb Anderson
Department of Education

Christina Wilson
Substance Abuse Prevention Specialist

Vern Armstrong
Department of Human Services

Honorable Thomas Bower
Judicial Branch

Kathy Stone
Department of Public Health

Non-Voting Members

Paul Feddersen
Department of Public Safety

Stephan Arndt
*Iowa Consortium for Substance Abuse
Research and Evaluation*

Steve Michael
Department of Human Rights

Col. Larry Doss
Iowa National Guard

David Lorenzen
Iowa Peace Officers Association

Steve Larson
Alcohol Beverage Division

Jason Sanhodt
*Iowa State Sheriffs and
Deputies Association*

Chief Jeremy Logan
Iowa Police Chiefs Association

Utilizing the information gathered from the public, the data collected through the needs and resource assessment, and professional experience, DPAC established statewide goals and objectives with specific recommendations dealing with all components of anti-substance abuse programming.

Strategy Review and Submission

The Substance Abuse Strategy is edited by the Governor's Office of Drug Control Policy to meet the guidelines for the Byrne JAG Grant Application and forwarded to the Bureau of Justice Assistance as the planning document for the Byrne JAG Grant Program. The Byrne JAG grant application also undergoes a review by the Governor and Legislature as well as the general public.

Subgrant Award Process:

The Governor’s Office of Drug Control Policy utilizes a competitive application process to pass thru grant funds to eligible applicants. The competitive application process includes a bifurcated review and evaluation involving a peer and staff review of applications. Requests for proposals are typically released in mid-February, applications are due in early April, and grant awards are announced in early June. Subgrant contracts are administered on the state fiscal year which is July through June.

Evidence-Based Projects

The Governor’s Office of Drug Control Policy’s strategy development process has always included an effort to identify “what works” and to encourage applicants to apply for and to implement “best practice” approaches to respond to the priorities established by the Governor, Drug Policy Advisory Council, and ODCP in the State Strategy.

In recent years BJA and others have increased the focus on “evidence based” programs implemented with fidelity. The Office of Drug Control Policy engaged with BJA’s technical assistance provider to; establish precision on what is meant by “evidence based” programming; to evaluate our efforts regarding evidence base programming; to implement evidence base principals into planning and program development; and to educate our grantees and program partners.

Coordination of Efforts

Formula grant funds are administered by the Office of Drug Control Policy, headed by the state Drug Policy Coordinator. The Coordinator is directed by state statute (Iowa Code Chapter 80E) to do the following:

- coordinate and monitor all statewide drug enforcement efforts
- coordinate and monitor all state and federal substance abuse treatment grants and programs
- coordinate and monitor all statewide substance abuse prevention and education programs in communities and schools
- help coordinate the efforts of the state Departments of Corrections, Education, Public Health, Public Safety, and Human Services
- assist in the development and implementation of local and community strategies to fight substance abuse
- submit an annual report concerning state substance abuse activities and programs, including a needs assessment of substance abuse treatment programs and drug enforcement
- provide advisory budget recommendations relating to substance abuse treatment, enforcement, and prevention and education

The Coordinator chairs the 15-member Drug Policy Advisory Council, which is responsible for making policy recommendations to state departments concerning the administration, development, and coordination of programs related to substance abuse education, prevention and treatment. Council membership consists of representatives from the state Departments of Corrections, Education, Human Services, Public Health, and Public Safety, a licensed substance abuse treatment specialist, a prosecuting attorney, a substance abuse treatment program director, the statistical analysis center director, a prevention specialist, a judge, and three law enforcement officers. Non-voting members include the United States Attorneys from the Northern and Southern Districts of Iowa, a member of the Iowa National Guard, and the director of the Iowa Consortium for Substance Abuse Research and Evaluation.

To provide direction for developing policies and programs, the Council has worked to identify and develop a series of databases specifically devoted to the organization and retention of information that describes a variety of alcohol and other substance abuse indicators. This information is reviewed and discussed regularly, and is used for making policy and program recommendations to state departments concerning the administration, development, and coordination of programs related to substance abuse education, prevention, treatment and criminal justice. In addition, the data indicators serve as the foundation of the Iowa Drug Control Strategy

Funding Information

Funding listed herein focuses on substance abuse and associated issues (e.g. crime, violence, and delinquency). Prevention, Treatment, and Enforcement are broad categories meant to encompass many programs. Funding estimates include State, Federal, and Other funding sources invested by State

agencies. Funding estimates do not include local or private resources, or federal funds provided directly to communities.


Total Estimated FY 2016 Substance Abuse & Drug Enforcement Funding (By Agency)

Agency	Prevention	Treatment	Enforcement	FY 2016 Total	FY 2011 Total	% Change from FY 11
Dept. of Education	\$1,916,252	\$0	\$0	\$1,916,252	\$3,602,752	-46.8%
DHR, CJP	\$193,247	\$0	\$250,784	\$444,031	\$1,753,297	-74.7%
DHS, Child & Family Services	\$0	\$3,166,044	\$0	\$3,166,044	\$1,526,889	+107.4%
DHS, Medical Services	\$0	\$43,472,824	\$0	\$43,472,824	\$25,616,895	+69.7%
DHS, Mental Health/Disability	\$0	\$501,887	\$0	\$501,887	\$1,797,022	-72.1%
DOC, Community Based	\$0	\$1,612,886	\$4,072,976	\$5,685,862	\$5,144,482	+10.5%
DOC, Institutional Programs	\$0	\$2,725,078	\$0	\$2,725,078	\$5,376,391	-49.3%
DPH, Behavioral Health	\$6,801,050	\$33,610,433	\$0	\$40,411,483	\$39,320,438	+2.8%
DPH, Tobacco	\$3,590,500	\$2,385,092	\$453,067	\$6,428,659	\$12,777,003	-49.7%
DPS, DCI	\$0	\$0	\$7,397,546	\$7,397,546	\$1,634,278	+352.6%
DPS, DNE	\$0	\$0	\$6,388,557	\$6,388,557	\$5,890,529	+8.5%
DPS, GTSB	\$0	\$0	\$446,500	\$446,500	\$877,000	-49.1%
DPS, Intel	\$0	\$0	\$2,266,223	\$2,266,223	\$2,055,255	+10.3%
DPS, State Patrol	\$0	\$0	\$2,190,090	\$2,190,090	\$9,733,913	-77.5%
Iowa Judicial Branch	\$0	\$0	\$1,280,000	\$1,280,000	\$625,000	+105%
Iowa National Guard	\$90,099	\$0	\$1,409,901	\$1,500,000	\$8,508,630	-82.4%
Iowa Veterans Home	\$204,532	\$0	\$0	\$204,532	\$546,618	-62.6%
Law Enforcement Academy	\$0	\$0	\$0	\$0	\$20,000	-100%
Office of Drug Control Policy	\$434,600	\$1,550,022	\$2,132,820	\$4,117,442	\$9,372,404	-56.1%
Regents: ISU	\$252,437	\$0	\$0	\$252,437	\$255,658	-1.3%
Regents: U of I	\$574,165	\$1,581,062	\$0	\$2,155,227	\$1,184,824	+81.9%
Regents: UNI	\$397,051	\$42,000	\$99,509	\$538,560	\$430,739	+25.0%
Total	\$14,453,933	\$90,647,328	\$28,387,973	\$133,489,234	\$138,050,017	-3.3%


Total Estimated FY 2016 Substance Abuse & Drug Enforcement Funding (By Source)

Funding Source	Prevention	Treatment	Enforcement	Total Funding
State	\$4,506,926	\$38,125,448	\$18,038,855	\$60,671,229
Federal	\$7,958,061	\$50,674,608	\$9,403,852	\$68,036,521
Other	\$1,988,946	\$1,847,272	\$945,266	\$4,781,484
Total	\$14,453,933	\$90,647,328	\$27,107,973	\$133,489,234

Iowa Substance Abuse & Drug Enforcement Funding By Discipline – FY 2000 - FY 2015



Iowa Substance Abuse & Drug Enforcement Funding By Source – FY 2000 - FY 2015



*FY 2001 Funding reflects 1st year of tobacco settlement funds invested in Iowa substance abuse programming.
 *FY 2003 Funding does not include approximately \$241,941 in supplemental appropriations approved in Jan 2003.
 *FY 2004 Funding does not include 2.5% ATB budget reduction implemented in October 2003.
 *FY 2006 Federal Safe and Drug-Free Schools and Communities prevention grants (\$5,925,727 in FY 2005) are no longer included in this report, due to a change in their use for educational purposes other than substance abuse.
 *FY 2009 Funding reflects the final year of tobacco settlement funds.
 *FY 2010 Funding includes the American Recovery and Reinvestment Act of 2009 funds.
 *FY 2010 Funding figures were collected prior to a 10% across the board cut.

Performance Measures

The Governor's Office of Drug Control Policy will include language in all grantee sub-contracts which identify the performance measurements required by the Byrne-JAG program. Quarterly reporting on these measures will be a condition of receiving grant funding.

Beginning with the grant cycle covering state fiscal year 2010 (July 2009-June 2010) the Governor's Office of Drug Control Policy implemented an electronic grant management system.

The grant management system is capable of administering grants from application through close out. Financial and program reporting is a standard component for each grant and includes the BJA Justice Assistance Grant Program Performance Measures along with other special reporting requirements associated with the grant program. Grantees are required to submit these measures through the grant management system on a quarterly basis.

In addition to those indicators prescribed by BJA, the Office of Drug Control Policy continues to collect performance measures which track the activities and specific objectives of individual projects & programs. This information will be combined with the data collected for BJA in assessing program performance and will be submitted in the state annual report. The grant management system will require that sub-recipients be current with program progress reporting to be eligible to process financial claims for reimbursement.

Program related performance measures will be reported to the Department of Justice by ODCP on a quarterly basis by the Assistant Director of Programs. Financial performance measures will be reported to the Department of Justice on a quarterly basis by the Chief Financial Officer.